

--- Einträge ändern

```
on modifiedContacts(groupName, theLines, thermotext)
  --- geänderte Adressen im Adreßbuch aktualisieren
  set strOutput to ""
  set result_ok to true

  repeat with i from 1 to the count of theLines
    set theLine to item i of theLines
    set ok2continue to my TheThermoSend(thermotext, i, count of
      theLines)
    if length of theLine is greater than 0 then
      set theValues to my split(theLine, tab)
      set the guid to (item 1 of theValues)

      tell application "Address Book"
        -- find the group or create it if it does not exist
        -- geht nicht: if ((the first person whose id contains
          guid) exists) then
        -- set foundContact to (the first person whose id is guid)
        set foundContact to my adrsearch(groupName, guid)
        if (foundContact is not "") then
          set strOutput to strOutput & my
            modContactObject(theValues,
              foundContact)
        else -- nicht gefunden, neu anlegen
          set errcode to 11 -- falls try fehlschlägt
          set errdetails to theLine -- für Fehlermeldung, falls
            try fehlschlägt
          -- set errdetails to theLine
          try
            if groupName is not "" and groupName is not
              noCategoryName then
              if (the first group whose name is
                groupName) exists
                then
                  set theGroup to (first group whose
                    name is
                      groupName)
                else
                  set theGroup to make new group
                    with properties
                      {name:groupN
                        ame}
```

```

        end if
        set newContact to make new person at
            the end of theGroup
            -- with properties
            {first
            name:firstName, last
            name:lastName}
    else
        set newContact to make new person at
            the end of people
            with properties {first
            name:firstName, last
            name:lastName}

    end if
    set errcode to 0 -- lief alles ok
end try
if (errcode is 0) then
    set the guid to id of newContact -- kriegt ja
        eine neue UID
    log ("errcode in modifiedContacts: " & errcode)
    set strOutput to strOutput & my
        modContactObject
        (theValues, newContact)
else -- Anlegen hat nicht geklappt
    set strOutput to strOutput & guid & tab &
        (item 2 of theValues) & tab
        & errSyncDate & tab &
        errSyncTime &
        record_separator

    end if
    save addressbook
end if
end tell
--set strOutput to strOutput & guid & tab & contactId & tab
    & newSyncDate & tab & newSyncTime &
    record_separator

end if
end repeat
return strOutput
end modifiedContacts

```